Application/Control Number: 10/564,637 Page 2

Art Unit: 1625

DETAILED ACTION

 According to paper filed on May 5, 2009, the applicants have canceled claims 16 and 25-29; amended claims 15, 17 and 18 and furthermore, have added new claims 30-45.

2. Claims 15, 17-24 and 30-45 are now pending in the application.

EXAMINER'S AMENDMENT

3. The following amendment is pursuant to a telephone conversation with the applicant's attorney, Ms. Silvia Salvadori on July 10, 2009. The following changes have been made in claims:

Cancel claims 15, 17-24, 30-32 and 41-44 without prejudice.

- 4. Claims 33-40 and 45, renumbered as claims 1-9, are allowed since the applicants have amended claims to overcome all rejections.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charanjit S. Aulakh whose telephone number is (571)272-0678. The examiner can normally be reached on Monday through Friday, 8:30 A.M. to 5:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Janet Andres can be reached on (571)272-0867. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/564,637 Page 3

Art Unit: 1625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Charanjit S. Aulakh/ Primary Examiner, Art Unit 1625